

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 04/18/2011

1. PRODUCT IDENTIFICATION

1.1	Product Name: RETENTION+ POWDERS
1.2	Chemical Name: METHACRYLATE COPOLYMER BLEND
1.3	Synonyms: NA
1.4	Trade Names: NA
1.5	Product Use: PROFESSIONAL USE ONLY
1.6	Distributor's Name: CREATIVE NAIL DESIGN, INC.
1.7	Distributor's Address: 1125 JOSHUA WAY VISTA, CA USA 92081
1.8	Emergency Phone: CHEMTREC: +1 (800) 424-9300 / +1 (703) 527-3887
1.9	Business Phone: +1 (800) 833-NAIL (6245), +1 (760) 599-2900

2. HAZARD IDENTIFICATION

2.1	Hazard Identification: This product is not classified as a HAZARDOUS SUBSTANCE or as DANGEROUS GOODS according to the classification criteria of NOHSC:1008 (2004) and ADG Code (Australia).						
2.2	Routes of Entry:	Inhalation:	YES	Absorption:	NO	Ingestion:	YES
2.3	Effects of Exposure: EYES: Possible irritation from dust. SKIN: Irritation. Allergic contact dermatitis is possible with prolonged or repeated contact. INGESTION: No exposure effects are reported. INHALATION: Considered a nuisance dust. May cause irritation of the mouth, nose, throat, and lungs.						
2.4	Symptoms of Overexposure: EYES: Redness & watering. SKIN: Redness, itching, drying of skin. INGESTION: No symptoms are expected. INHALATION: Upper respiratory irritation, including coughing & sneezing.						
2.5	Acute Health Effects: EYES: Possible irritation from dust. SKIN: Irritation. Allergic contact dermatitis is possible with prolonged or repeated contact. INGESTION: No exposure effects are reported. INHALATION: Considered a nuisance dust. May cause irritation of the mouth, nose, throat, and lungs.						
2.6	Chronic Health Effects: None known.						
2.7	Target Organs: Eyes, skin and respiratory system.						

NA = Not Available; ND = Not Determined; NE = Not Established; NF = Not Found; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used. Note: All WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2010 format.

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0 MSDS Revision Date: 04/18/2011

3. COMPOSITION & INGREDIENT INFORMATION


CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	EXPOSURE LIMITS IN AIR (mg/m³)								OTHER
					ACGIH		NOHSC			OSHA			
					ppm		ppm			ppm			
					TLV	STEL	ES-TWA	ES-STEL	ES-PEAK	PEL	STEL	IDLH	
POLYETHYL METHACRYLATE	9003-42-3	NA	NA	>30.0	NA	NA	NF	NF	NF	NA	NA	NA	
ACRYLATES COPOLYMER	25685-29-4	NA	NA	>30.0	(10)	NA	NF	NF	NF	(10)	NA	NA	DUST
BENZOYL PEROXIDE	94-36-0	DM8575000	202-327-6	> 1-3	(5)	NA	5	NF	NF	(5)	NA	NA	
MAY CONTAIN:													
TITANIUM DIOXIDE	13463-67-7	XR2275000	236-675-5	> 1-3	(10)	NA	NF	NF	NF	(15)	NA	NA	TOTAL DUST
CI 77120 (BARIUM SULFATE)	7727-43-7	CR0600000	231-784-4	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
CI 15850 (RED 7)	5281-04-9	QJ1975000	226-109-5	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
OTHER COMPONENTS PRESENT IN LESS THAN 1% CONCENTRATION				BAL	THE REMAINING COMPONENTS DO NOT CONTRIBUTE ANY SIGNIFICANT ADDITIONAL HAZARDS								

4. FIRST AID MEASURES

4.1	First Aid: EYES: Flush eyes thoroughly with copious amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete flushing. If irritation persists, seek immediate medical attention. SKIN: Remove contaminated clothing and wash affected areas with soap and water. Wash all contaminated clothing thoroughly before reuse. If irritation persists, seek medical attention. INGESTION: Contact ChemTrec at +1 (703) 527-3887 or the nearest Poison Control Center or local emergency telephone number for assistance and instructions. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration. INHALATION: Remove victim to fresh air at once. Under extreme conditions, if breathing stops, perform artificial respiration and seek medical attention.
4.2	Medical Conditions Aggravated by Exposure: Pre-existing dermatitis, asthma or bronchitis.

5. FIREFIGHTING MEASURES

5.1	Flashpoint & Method: 579°F (304 °C) TCC
5.2	Autoignition Temperature: NA
5.3	Flammability Limits: Lower Explosive Limit (LEL): NA Upper Explosive Limit (UEL): NA
5.4	Fire & Explosion Hazards: NA
5.5	Extinguishing Methods: Carbon dioxide, dry chemical & water spray as authorized.
5.6	Firefighting Procedures: Keep containers cool until well after the fire is out. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters should wear full face, self-contained breathing apparatus (MSHA/NIOSH approved or the equivalent) and impervious protective clothing.



Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards | MSDS Revision: 1.0 | MSDS Revision Date: 04/18/2011

6. ACCIDENTAL RELEASE MEASURES

- 6.1 Spills:
Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment.
For small spills (e.g., < 1 gallon (3.785 liters)) wear appropriate personal protective equipment (e.g., goggles, gloves). Spilled product should be swept or vacuumed up immediately to prevent falls. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.
For spills \geq 1 gallon (3.785 liters), deny entry to all unprotected individuals. Spilled product should be swept or vacuumed up immediately to prevent falls. Transfer to containers for proper disposal. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

7. HANDLING & STORAGE INFORMATION

- 7.1 Work & Hygiene Practices:
Use eye protection when using this product. Wash hands thoroughly after using this product and before eating, drinking, or smoking.
- 7.2 Storage & Handling:
Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive heat. Do not store in damaged or unmarked containers or storage devices. Keep containers securely closed when not in use.
- 7.3 Special Precautions:
Empty containers may retain residual amounts of product. Therefore, empty containers should be handled with care. The product is a fine powder, and may cause a slipping and falling hazard if spilled. Spilled product should be swept or vacuumed up immediately to prevent falls.

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

- 8.1 Ventilation & Engineering Controls:
General mechanical ventilation (e.g., fans) and local exhaust ventilation is recommended for use with this product.
- 8.2 Respiratory Protection:
Respirators are not required for use with this product. However, this product is a nuisance dust hazard. Product may cause irritation of the mouth, nose, throat, and lungs. Accordingly, when working with large quantities (> gallon (3.785 liters)) a dust mask is suggested. A respiratory protection program that meets OSHA's 29 CFR §1910.134 and ANSI Z88.2 requirements must be followed whenever a respirator is used.
- 8.3 Eye Protection:
Safety glasses with side shields should be used when using this product.
- 8.4 Hand Protection:
None required under normal conditions of use. May cause skin irritation in some sensitive individuals. When handling large quantities (e.g., \geq 1 gallon (3.785 liters)), wear rubber or impervious plastic gloves.
- 8.5 Body Protection:
No apron required when handling small quantities.
When handling large quantities (e.g., \geq 1 gallon (3.785 liters)), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.

HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARDS	1
PROTECTIVE EQUIPMENT	A
EYES	

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards | MSDS Revision: 1.0 | MSDS Revision Date: 04/18/2011

9. PHYSICAL & CHEMICAL PROPERTIES

9.1	Density:	NA
9.2	Boiling Point:	NA
9.3	Melting Point:	Approximately 200°C
9.4	Evaporation Rate:	NA
9.5	Vapor Pressure:	NA
9.6	Molecular Weight:	NA
9.7	Appearance & Color:	White or light pink powder with faint bland odor.
9.8	Odor Threshold:	ND
9.9	Solubility:	Insoluble
9.10	pH	NA
9.11	Viscosity:	NA
9.12	Other Information:	NA

10. STABILITY & REACTIVITY

10.1	Stability:	Stable under normal conditions of use (see section 7).
10.2	Hazardous Decomposition Products:	Oxides of carbon and nitrogen.
10.3	Hazardous Polymerization:	Highly unlikely, but will occur if large quantity of product comes in contact with an equally large quantity of monomer.
10.4	Conditions to Avoid:	High heat 120 °F (48.8 °C) and proximity to monomers. (Large quantities only, e.g. > 1 gallon (3.785 liters)).
10.5	Incompatible Substances:	Monomer. (Large quantities only, e.g. > 1 gallon (3.785 liters)).

11. TOXICOLOGICAL INFORMATION

11.1	Toxicity Data:	This product has NOT been tested on animals to obtain toxicology data. There are toxicology data for the components of the product, which are found in scientific literature. These data have not been presented in this document.
11.2	Acute Toxicity:	See section 2.5
11.3	Chronic Toxicity:	See section 2.6
11.4	Suspected Carcinogen:	No.
11.5	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:	This product is not reported to produce teratogenic effects in humans.
	Reproductive Toxicity:	This product is not reported to produce reproductive effects in humans.
11.6	Irritancy of Product:	See section 2.3
11.7	Biological Exposure Indices:	NE
11.8	Physician Recommendations:	Treat symptomatically.

MATERIAL SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 04/18/2011

12. ECOLOGICAL INFORMATION

- | | |
|------|--|
| 12.1 | Environmental Stability:
This product will slowly volatilize from soil. Components of this product will slowly decompose into organic compounds. |
| 12.2 | Effects on Plants & Animals:
There is no specific data available for this product. |
| 12.3 | Effects on Aquatic Life:
There is no specific data available for this product. |

13. DISPOSAL CONSIDERATIONS

- | | |
|------|--|
| 13.1 | Waste Disposal:
Dispose of in accordance with all federal, state, and local regulations. |
| 13.2 | Special Considerations:
NA |

14. TRANSPORTATION INFORMATION

The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG, SCT, ADGR and the CTDGR.

- | | |
|------|--|
| 14.1 | 49 CFR (GND):
NOT REGULATED |
| 14.2 | IATA (AIR):
NOT REGULATED |
| 14.3 | IMDG (OCN):
NOT REGULATED |
| 14.4 | TDGR (Canadian GND):
NOT REGULATED |
| 14.5 | ADR/RID (EU):
NOT REGULATED |
| 14.6 | SCT (MEXICO):
NOT REGULATED |
| 14.7 | ADGR (AUS):
NOT REGULATED |

15. REGULATORY INFORMATION

- | | |
|------|--|
| 15.1 | U.S. EPA SARA Title III Reporting Requirements:
This product does not contain any substances with SARA reporting requirements. |
| 15.2 | U.S. EPA SARA Title III Threshold Planning Quantity (TPQ):
This product does not contain any substances with a SARA threshold planning quantity. |
| 15.3 | U.S. TSCA Inventory Status:
All chemical substances of this product are listed on the TSCA inventory or are otherwise exempt from inventory status. |
| 15.4 | U.S. CERCLA Reportable Quantity (RQ):
This product does not contain any substances with a CERCLA reportable quantity. |
| 15.5 | Other U.S. Federal Requirements:
This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter G, (Cosmetics). |
| 15.6 | Other Canadian Regulations::
This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDL. None of the components of this product are listed on the Priorities Substances List. |
| 15.7 | U.S. State Regulatory Information:
No component of this mixture is listed in the California Proposition 65 Lists.
Titanium dioxide (CAS# 13463-67-7); can be found on the following state right to know lists: New Jersey, Pennsylvania, Minnesota, and Massachusetts. |



Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 04/18/2011

15. REGULATORY INFORMATION - continued

- 15.8 European Union 67/548/EEC and Australia NOHSC:2011 (2003) Requirements:
Component(s) of this product are listed in Annex I of EU Directive 67/548/EEC.
Acrylates copolymer: Irritant, (Xi). R: 36/37/38 Irritating to eyes, respiratory system and skin.
Benzoyl peroxide: Irritant, (Xi). R: 43 May cause sensitization by skin contact. S: 3/7 Keep container tightly closed in a cool place.
Titanium dioxide: Harmful, (Xn). R: 21/22 Harmful if swallowed and in contact with skin. S: 7/8-24 Keep container tightly closed and dry. Avoid contact with skin and eyes.

S: 20/21 When using do not eat, drink or smoke



16. OTHER INFORMATION

- 16.1 Other Information:
WARNING: Precisely follow directions and MSDS (available through your supplier) for use. Avoid skin and eye contact. Keep out of reach of children. If redness or other signs of adverse reaction occur, discontinue use immediately and thoroughly rinse affected area. FOR PROFESSIONAL USE ONLY.
- 16.2 Terms & Definitions:
Please see last page of this MSDS.
- 16.3 Disclaimer:
This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Creative Nail Design's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.
- 16.4 Prepared for:
Creative Nail Design, Inc.
A Division of Colomer U.S.A., Inc.
1125 Joshua Way
Vista, CA 92081 USA
(800) 833-NAIL (6245)
+1 (760) 599-2900 phone
+1 (760) 599-4005 fax
<http://www.cnd.com/>
- CND[®]
Hands. Feet. Beauty.
- 16.5 Prepared by:
ShipMate, Inc.
PO Box 787
Sisters, OR 97759-0787 USA
+1 (310) 370-3600 phone
+1 (310) 370-5700 fax
e-mail: shipmate@shipmate.com
- Dangerous Goods
Training & Consulting

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 04/18/2008

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
----------------	----------------------------------

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
TLV	Threshold Limit Value
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
IDLH	Immediately Dangerous to Life and Health

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.
------------	--

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:

A		G	
B		H	
C		I	
D		J	
E		K	
F		X	Consult your supervisor or S.O.P. for special handling directions.



FLAMMABILITY LIMITS IN AIR:


Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source

OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
NF	Not Found
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
-W	Use No Water
OX	Oxidizer



TOXICOLOGICAL INFORMATION:

LD₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD₀₁	Lowest dose to cause a symptom
TCLO	Lowest concentration to cause a symptom
TD₀₁, LD₀₁, & LD₅₀ or TC, TC₀₁, LC₀₁, & LC₅₀	Lowest dose (or concentration) to cause lethal or toxic effects
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL_m	Median threshold limit
log K_{ow} or log K_{oc}	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
CPR	Canada's Controlled Product Regulations

EC INFORMATION:

C	E	F	N	O	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

WHMIS INFORMATION:

A	B	C	D1	D2	D3	E	F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive