

Page 1 of 7

Prep	pared to OSHA,	ACC, ANSI, NOHSC, WHMIS &	& 2001/58 EC	Standards	MSDS	Revision: 7.0	MSDS	Revision Date	: 04/01/2008
			1. PROD	IICT IDE	NTIFIC	'ATION			
1.1	Product Name:		I. I KOD	OCI IDE	14111110	AllOll			
	BRISATM P	ΔΙΝΤ							
1.2	Chemical Name:	74141							
	METHACRYLAT	TE MIXTURE							
1.3	Synonyms:								
		AINTS: BRISA™ PAINT SOFT W	HITE OPAQUE	GEL PAING					
1.4	Trade Names:	what I though Call Don	\4/1-24-	O	6-1	EL VA/I. ! L .	0		
		aint - Liqud Gel: Pu	re wnite	- Opaqı	<u>je, 301</u>	r wnite -	Opaque.		
1.5	Product Use:	I HEE ONLY							
1.6	PROFESSIONA Distributor's Name								
		L DESIGN, INC.							
1.7	Distributor's Addre								
		WAY, VISTA, CA 92081 USA							
1.8	Emergency Phone		(702) 507	2007					
1.0		: +1 (800) 424-9300 / +1	(/03) 52/-	388/					
1.9	Business Phone: (800) 833-NAI	L (6245), (760) 599-2900							
	(000) 000 107	1 (02 10), (7 00) 077 2700							
			2. HAZA	ARD IDEN	VIIEC	ΔΤΙΩΝ			
2.1	Hazard Identificati	ion·	2. 11/\L/	NO IDEI	111110	AllOli			
	This product	is not classified as a HAZA (2004) and ADG Code (Austro		ANCE or a	s DANGI	EROUS GOOI	OS according t	o the classifi	cation criteria of
2.2	Routes of Entry:		Inhalation:	YES	А	bsorption:	YES	Ingestion:	YES
2.3	Effects of Exposure	<u>;</u>							
	INGESTION:	If product is swallowed, r depression.	may cause r	nausea, he	adache,	vomiting a	nd/or diarrhea	and central	nervous system
	EYES:	Irritating to the eyes. Symp	toms of overe	xposure mo	y includ	e redness, ito	ching, irritation (and watering.	
	SKIN:	May be irritating to skin in s							
	INHALATION:								
		the levels listed in Section (e.g., drowsiness, dizziness,	•	•	edieni ii	ilormanon) c	an cause cem	rai nervous sy	/sieiii depiessioii
2.4	Symptoms of Over								
	EYES:	S: Overexposure in eyes may cause redness, itching and watering.							
	SKIN:	Symptoms of skin overexpersion overexpersions of skin overexpersions.	osure in some	e sensitive i	individua	ıls may inclu	de redness, itc	hing, and irrit	ation of affected
2.5	Acute Health Effec								
	EYES:								
	SKIN: Mild to moderate irritation to skin near affected areas.								
	INHALATION:	When working with large drowsiness, dizziness, head	•		gallon (3	3.785 liters)),	high concent	rations of va	pors can cause
2.6	Chronic Health Effe								
	None known.								
2.7	Target Organs:								
	Eyes and skin.		N 15 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 N		0 0 "		4/5 * :	
		; ND = Not Determined; NE = e: All WHMIS required informa							



Page 2 of 7

CHEMICAL NAME(S) CAS No. RTECS No. EINECS No. EINECS No. FILV STEL TWA STEL PEAK PEL STEL IDLH DIGOMERS NA NA NA \$ 275.0 NE NE NF NF NF NF NE NE NE NE NE NE NE NE METHACRYLATE MONOMERS NA NA NA NA \$ 22.0.0 NE NE NF NF NF NF NE NE NE CIT7891 (TITANIUM DIOXIDE) 13443-67-7 XR2275000 236-675-5 \$ 5.0 (10) NE NF NF NF NF NF NE NE NE CIT7891 (TITANIUM DIOXIDE) 13443-67-7 XR2275000 236-675-5 \$ 5.0 (10) NE NF NF NF NF NF NF NE NE NE CITCA DIMETRICONE SILYLATE 112945-52-5 VV7310000 262-373-8 < 2.0 (10) NE NF NF NF NF NF (10) NE NE DUS COTHER COMPONENTS PRESENT IN LESS THAN 1% CONCENTRATION BAL THE REMAINING COMPONENTS DO NOT CONTRIBUTE AL SIGNIFICANT ADDITIONAL HAZARDS 4. FIRST AID MEASURES 4.1 INGESTION: If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the potilent is vomitting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact ChemTrec at +1 (703) 527-3887 or the nearest Poison Control Center or local emergency number. Provide an estimat of the time at which the material was ingested and the amount of the was swallowed. EYES: Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at lea 15 minutes. If irritation occurs, contact a physician. SKIN: If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the effected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately. INHALATION: Remove victim to fresh air. 4.2 Medical Conditions Aggravated by Exposure: None known. 5. FIREFIGHTING MEASURES 5.1 Plastpoint & Method: > 160°F (71°C) c.c. 5.2 Autolognition Temperature: NA NA Lower Explosive Limit (LEL): ND Upper Explosive Limit (UEL): ND														0.4.4		
CHEMICAL NAME(S) CAS NO. RTECS	Prep	ared to OSHA,	ACC, ANSI, N	NOHSC, WHMIS	3 & 2001/58 EC	Standards	MSDS F	Revision	1: 7.0		MSDS	Revisi	on Dat	te: 04/	01/200	18
CHEMICAL NAME(S) CAS NO. RTECS				2 COA	ADOCITIO	I O INICOI	EDIENI	r inie/		A TIC	\ N I					
CHEMICAL NAME(S) CAS No. RTECS No. EINECS No. FINE FI				3. CON		N & INGKI	DIEN	IINT				AAITC IN	LAID (-	/ 1		
CHEMICAL NAME(S) CAS NO. RTECS NO. RTECS NO. EINECS NO. EINECS NO. EINECS NO. EINECS NO. TIV STEL TWA STEL PEAK PEL STEL IDLH RETHACRYLATE NA NA NA S 20.0 NE NE NF NF NF NF NE NE NE RETHACRYLATE MONOMERS NA NA NA S 20.0 NE NE NF NF NF NF NF NE NE NE CITYPROTITIONINUM DIOXIDE) SILICA DIMETHICONE SILYLATE 112945-52-5 VV7310000 262-373-8 < 2.0 (10) NE NF NF NF NF (10) NE NE DUS SILICA DIMETHICONE SILYLATE 112945-52-5 VV7310000 262-373-8 < 2.0 (10) NE NF NF NF NF (10) NE NE DUS SIGNICA DIMETHICONE SILYLATE 112945-52-5 VV7310000 262-373-8 < 2.0 (10) NE NF NF NF NF (10) NE NE DUS SIGNICA DIMETHICONE SILYLATE 112945-52-5 VV7310000 262-373-8 < 2.0 (10) NE NF NF NF NF (10) NE NF NF NF (10) NE NF								AC	CIH				AIK (I			
CHEMICAL NAME(S) CAS No. RTECS																OTHER
RETHANE METHACEYLATE DIGOMERS NA NA NA NA NA NA NA NA NA N							0.4	PF		ES-		ES-		PP		<u> </u>
METHACRYLATE MONOMERS NA NA NA NA 275.0 NE NE NF NF NF NF NE NE NE NE DISTRICTANDIAL MONOMERS NA NA NA SCA 20.0 NE NE NF NF NF NF NF NE NE NE NE DISTRICTANDIAL MONOMERS NA NA NA SCA 20.0 NE NF		CHEMICAL NA	AME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH	
Stituca Diagram 1997 1998 199	-		YLATE	NA	NA	NA	≥ 75.0	NE	NE	NF	NF	NF	NE	NE	NE	
SILICA DIMETHICONE SILYLATE 112945-52-5 VV7310000 262-373-8 < 2.0 (10) NE NF NF NF (10) NE NE DUS DTHER COMPONENTS PRESENT IN LESS THAN 1% CONCENTRATION BAL THE REMAINING COMPONENTS DO NOT CONTRIBUTE AT SIGNIFICANT ADDITIONAL HAZARDS 4. FIRST AID MEASURES 4.1 First Aid: INGESTION: If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contract of the time at which the material was ingested and the amount of the substance that was swallowed. EYES: Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at lea 15 minutes. If irritation occurs, contact a physician. SKIN: If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing at the effected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately. INHALATION: Remove vicitim to fresh air. 5. FIREFIGHTING MEASURES 1 [Instripciol & Method: > 160 °F (71°C) c.c. 5.1 [Instripciol & Method: > 160 °F (71°C) c.c. 5.2 [Autogrition temperature: NA NA 5.4 [Fire & Explosion Hazards: NA 5.5 Edinguishing Methods: CO2, Halon, Dry Chemical or Foam as authorized. Firefighting Procedures: This product is a combustible liquid. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides. First responders should wear eye protection. Structural fireflighters must wear SCBAs and full protective equipment. Use a vater spray or fog to reduce or direct vapors. Water may not be effective in actually.	METH.	ACRYLATE MON	NOMERS	NA	NA	NA	≤ 20.0	NE	NE	NF	NF	NF	NE	NE	NE	
### Action Proceedings Proceedings	CI 77	891 (TITANIUM I	DIOXIDE)	13463-67-7	XR2275000	236-675-5	≤ 5.0	(10)	NE	NF	NF	NF	(5)	NE	NE	DUST
4. FIRST AID MEASURES 4.1 INGESTION: If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiliting, continue to offer water or milk. Never give water or milk to an unconscious person. Control Chemfrec at +1 (703) 527-3887 or the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed. EYES: Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at lea 15 minutes. If irritation occurs, contact a physician. SKIN: If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the effected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately. INHALATION: Remove vicilim to fresh air. Medical Conditions Aggravated by Exposure. None known. 5. FIREFIGHTING MEASURES 5.1 Rashpoint & Method: > 160 °F (71 °C) c.c. 2. Autoignition Temperature. NA 3. Rammability lumits: Lower Explosive Limit (LEL): ND Upper Explosive Limit (UEL): ND Fre & Explosion Hazards: NA Stanguishing Methods: CO ₂ , Halon, Dry Chemical or Foam as authorized. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually	SILICA	A DIMETHICONE	SILYLATE	112945-52-5	VV7310000	262-373-8	< 2.0	(10)	NE	NF	NF	NF	(10)	NE	NE	DUST
4. FIRST AID MEASURES INGESTION: If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contract ChemTrec at +1 (703) 527-3887 or the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed. EYES: Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at lear 15 minutes. If irritation occurs, contact a physician. SKIN: If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the effected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately. INHALATION: Remove victim to fresh air. 4.2 Medical Conditions Aggravated by Exposure: None known. 5. FIREFIGHTING MEASURES 5.1 Flashpoint & Method: > 160° \$\frac{7}{1}^2 \cdot 0.c. 2. Autoignition Temperature: NA NA 1. Firegithing Procedures: NA 1. Explosion Hazards: NA 5. Extinguishing Methods: CO2, Halon, Dry Chemical or Foam as authorized. Firegithing Procedures: This product is a combustible liquid. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides. First responders should wear eye protection. Structural firefighiters must wear \$CBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually	OTHE	R COMPONENTS	S PRESENT IN	LESS THAN 1%	CONCENTRATI	ON	BAL	THE RE	MAIN	NG C	ОМРО	NENTS	DO NO	от со	NTRIBU	JTE ANY
First Aid: INGESTION: If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the potient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact ChemTrec at +1 (703) 527-3887 or the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed. EYES: Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at lear 15 minutes. If irritation occurs, contact a physician. SKIN: If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the effected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately. INHALATION: Remove victim to fresh dir. 4.2 Medical Conditions Aggravated by Exposure: None known. Flashpoint & Method:								SIGNIF	ICANT	ADDIT	IONAL	. HAZAI	RDS			
First Aid: INGESTION: If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the potient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact ChemTrec at +1 (703) 527-3887 or the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed. EYES: Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at lear 15 minutes. If irritation occurs, contact a physician. SKIN: If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the effected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately. INHALATION: Remove victim to fresh dir. 4.2 Medical Conditions Aggravated by Exposure: None known. Flashpoint & Method:																
First Aid: INGESTION: If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the potient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact ChemTrec at +1 (703) 527-3887 or the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed. EYES: Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at lear 15 minutes. If irritation occurs, contact a physician. SKIN: If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the effected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately. INHALATION: Remove victim to fresh dir. 4.2 Medical Conditions Aggravated by Exposure: None known. Flashpoint & Method:					4. FI	RST AID N	NEASU	RES								
potient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contract ChemTrec at +1 (703) 527-3887 or the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed. EYES: Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at lear 15 minutes. If irritation occurs, contact a physician. SKIN: If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the effected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately. INHALATION: Remove victim to fresh air. 4.2 Medical Conditions Aggravated by Exposure. None known. 5. FIREFIGHTING MEASURES 5.1 Flashpoint & Method: > 160 °F (71 °C) c.c. 5.2 Autoignition Temperature: NA 5.3 Flammability Limits: Lower Explosive Limit (LEL): ND Upper Explosive Limit (UEL): ND 5.4 Fire & Explosion Hazards: NA 5.5 Extinguishing Methods: CO2, Halon, Dry Chemical or Foam as authorized. Firefighting Procedures: This product is a combustible liquid. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually	4.1	First Aid:														
potient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contract ChemTrec at +1 (703) 527-3887 or the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed. EYES: Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at lear 15 minutes. If irritation occurs, contact a physician. SKIN: If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the effected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately. INHALATION: Remove victim to fresh air. 4.2 Medical Conditions Aggravated by Exposure. None known. 5. FIREFIGHTING MEASURES 5.1 Flashpoint & Method: > 160 °F (71 °C) c.c. 5.2 Autoignition Temperature: NA 5.3 Flammability Limits: Lower Explosive Limit (LEL): ND Upper Explosive Limit (UEL): ND 5.4 Fire & Explosion Hazards: NA 5.5 Extinguishing Methods: CO2, Halon, Dry Chemical or Foam as authorized. Firefighting Procedures: This product is a combustible liquid. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually		INGESTION:	If ingested	do not induce	vomiting If	product has b	een sw	allowed	drink	c plent	v of w	ater or	milk I	MMFD	IATFI Y	If the
ChemIrec at +1 (703) 527-3887 or the nearest Poison Control Čenter or local emergency number. Provide an estimat of the time at which the material was ingested and the amount of the substance that was swallowed. EYES: Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at lear 15 minutes. If irritation occurs, contact a physician. SKIN: If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the effected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately. INHALATION: Remove victim to fresh air. 4.2 Medical Conditions Aggravated by Exposure: None known. 5. FIREFIGHTING MEASURES 5.1 Flashpoint & Method: > 160 °F (71 °C) c.c. 5.2 Autolgnition Temperature: NA 5.3 Flammability Limits: Lower Explosive Limit (LEL): ND Upper Explosive Limit (UEL): ND 4.5 Fire & Explosion Hazards: NA 5.5 Extinguishing Methods: CO ₂ , Halon, Dry Chemical or Foam as authorized. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually																
of the time at which the material was ingested and the amount of the substance that was swallowed. EYES: Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at lea 15 minutes. If irritation occurs, contact a physician. SKIN: If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the effected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately. INHALATION: Remove victim to fresh air. 4.2 Medical Conditions Aggravated by Exposure: None known. 5. FIREFIGHTING MEASURES 5.1 Flashpoint & Method: > 160 °F (71 °C) c.c. 4.2 Autolgnition Temperature: NA 5.3 Flammability Limits: Lower Explosive Limit (LEL): ND Upper Explosive Limit (UEL): ND 5.4 Fire & Explosion Hazards: NA 5.5 Extinguishing Methods: CO ₂ , Halon, Dry Chemical or Foam as authorized. 5.6 Frefighting Procedures: This product is a combustible liquid. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually																
EYES: Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at lea 15 minutes. If irritation occurs, contact a physician. SKIN: If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the effected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately. INHALATION: Remove victim to fresh air. 4.2 Medical Conditions Aggravated by Exposure: None known. 5. FIREFIGHTING MEASURES 5.1 Plashpoint & Method: > 160 °F (71 °C) c.c. 5.2 Autoignition Temperature: NA 5.3 Plammability Limits: Lower Explosive Limit (LEL): ND Upper Explosive Limit (UEL): ND 5.4 Fire & Explosion Hazards: NA 5.5 Extinguishing Methods: CO ₂ , Halon, Dry Chemical or Foam as authorized. 5.6 Firefighting Procedures: This product is a combustible liquid. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually															e un e	simule
15 minutes. If irritation occurs, contact a physician. SKIN: If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing a the effected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately. INHALATION: Remove victim to fresh air. 4.2 Medical Conditions Aggravated by Exposure: None known. 5. FIREFIGHTING MEASURES 5.1 Plashpoint & Method: > 160 °F (71 °C) c.c. Autoignition Temperature: NA 5.3 Flammability Limits: Lower Explosive Limit (LEL): ND Upper Explosive Limit (UEL): ND Fire & Explosion Hazards: NA 5.5 Extinguishing Methods: CO ₂ , Halon, Dry Chemical or Foam as authorized. Firefighting Procedures: This product is a combustible liquid. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually		EVEC.				•									er for (nt least
SKIN: If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing at the effected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately. INHALATION: Remove victim to fresh air. 4.2 Medical Conditions Aggravated by Exposure: None known. 5. FIREFIGHTING MEASURES 5.1 Flashpoint & Method: > 160 °F (71 °C) c.c. 5.2 Autoignition Temperature: NA 5.3 Flammability Limits: Lower Explosive Limit (LEL): ND Upper Explosive Limit (UEL): ND 5.4 Fire & Explosion Hazards: NA 5.5 Extinguishing Methods: CO2, Halon, Dry Chemical or Foam as authorized. 5.6 Firefighting Procedures: This product is a combustible liquid. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually		LILJ.					ic cycs,	110311 **		J1003 C		13 01 10	KC W GII	iii wai	C1 101 V	ai icasi
INHALATION: Remove victim to fresh air. 4.2 Medical Conditions Aggravated by Exposure: None known. 5. FIREFIGHTING MEASURES 5.1 Flashpoint & Method: > 160 °F (71 °C) c.c. 4.2 Autoignition Temperature: NA 5.3 Flammability Limits: Lower Explosive Limit (LEL): ND Upper Explosive Limit (UEL): ND Fire & Explosion Hazards: NA 5.5 Extinguishing Methods: CO2, Halon, Dry Chemical or Foam as authorized. 5.6 Firefighting Procedures: This product is a combustible liquid. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually		SKIN:														
S. FIREFIGHTING MEASURES		INHALATION:			-				•						•	
5.1 Flashpoint & Method: > 160 °F (71 °C) c.c. Autoignition Temperature: NA 5.3 Flammability Limits: Lower Explosive Limit (LEL): ND Upper Explosive Limit (UEL): ND Fire & Explosion Hazards: NA 5.5 Extinguishing Methods: CO ₂ , Halon, Dry Chemical or Foam as authorized. Firefighting Procedures: This product is a combustible liquid. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually	4.2	Medical Condition	ns Aggravated by	y Exposure:												
Filashpoint & Method: > 160 °F (71 °C) c.c. 5.2 Autoignition Temperature: NA 5.3 Flammability Limits: Lower Explosive Limit (LEL): ND Upper Explosive Limit (UEL): ND 5.4 Fire & Explosion Hazards: NA 5.5 Extinguishing Methods: CO2, Halon, Dry Chemical or Foam as authorized. 5.6 Firefighting Procedures: This product is a combustible liquid. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually		None known.														
Filashpoint & Method: > 160 °F (71 °C) c.c. 5.2 Autoignition Temperature: NA 5.3 Flammability Limits: Lower Explosive Limit (LEL): ND Upper Explosive Limit (UEL): ND 5.4 Fire & Explosion Hazards: NA 5.5 Extinguishing Methods: CO2, Halon, Dry Chemical or Foam as authorized. 5.6 Firefighting Procedures: This product is a combustible liquid. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually																
> 160 °F (71 °C) c.c. 5.2 Autoignition Temperature: NA 5.3 Flammability Limits: 5.4 Fire & Explosion Hazards: NA 5.5 Extinguishing Methods: CO2, Halon, Dry Chemical or Foam as authorized. 5.6 Firefighting Procedures: This product is a combustible liquid. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually					5. FIRE	FIGHTING	MEA	SURE	S							
5.2 Autoignition Temperature: NA 5.3 Flammability Limits: 5.4 Fire & Explosion Hazards: NA 5.5 Extinguishing Methods: CO2, Halon, Dry Chemical or Foam as authorized. 5.6 Firefighting Procedures: This product is a combustible liquid. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually	5.1															
NA 5.3 Flammability Limits: Lower Explosive Limit (LEL): ND Upper Explosive Limit (UEL): ND Fire & Explosion Hazards: NA 5.5 Extinguishing Methods: CO2, Halon, Dry Chemical or Foam as authorized. 5.6 Firefighting Procedures: This product is a combustible liquid. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually	5.2	•	•													
Fire & Explosion Hazards: NA S.5. Extinguishing Methods: CO2, Halon, Dry Chemical or Foam as authorized. 5.6 Firefighting Procedures: This product is a combustible liquid. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually	5.2		o.a.u.c.													
5.4 Fire & Explosion Hazards: NA 5.5 Extinguishing Methods: CO ₂ , Halon, Dry Chemical or Foam as authorized. 5.6 Firefighting Procedures: This product is a combustible liquid. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually	5.3		S:		Lower Explos	sive Limit (LEL)	:	ND		Upper	Explos	ive Lim	it (UEL)):	N	D
5.5 Extinguishing Methods: CO2, Halon, Dry Chemical or Foam as authorized. 5.6 Firefighting Procedures: This product is a combustible liquid. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually	5.4	Fire & Explosion Ha	azards:			- (/		•	•							
CO2, Halon, Dry Chemical or Foam as authorized. 5.6 Firefighting Procedures: This product is a combustible liquid. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually		NA												_		
5.6 Firefighting Procedures: This product is a combustible liquid. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually	5.5	5.5 Extinguishing Methods:														
This product is a combustible liquid. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually		CO ₂ , Halon, D	ry Chemical	or Foam as au	thorized.								_			
decompose to produce carbon oxides. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually	5.6	0 0												1	1	
equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually					When involve	d in a fire, th	nis produ	ıct ma	y igni	te rea	dily ar	nd			Y	/
extinguishing a fire involving this product.						ect vapors. W	ater may	not be	effec	tive in	actua	lly				
		extinguishing	a fire involvir	ng this product	!.											



Page 3 of 7

CND-N-070

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 7.0 MSDS Revision Date: 04/01/2008 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., < 1 gallon (3.785 liters)) wear appropriate personal protective equipment (e.g., goggles, gloves). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For spills ≥ 1 gallon (3.785 liters), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Avoid prolonged contact with the product. After use, wash hands and exposed skin with soap and water. Do not eat, drink or smoke while handling product. Storage & Handling Keep this material away from heat, sparks and open flame. Keep container closed tightly when not in use. Empty container may contain residual amounts of this product; therefore, empty containers should be handled with care. Store containers in a cool, dry location, away from direct sunlight, other light sources, or sources of intense heat. Store away from incompatible materials (see Section 10, Stability and Reactivity). Special Precautions: 7.3 Open containers slowly on a stable surface. Keep container tightly closed when not in use. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION 8.1 Ventilation & Engineering Controls: When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes. 8.2 No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia. 8.3 Depending on the use of this product, splash or safety glasses may be worn. If necessary, refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European Standard EN166. 8 4 If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, or the E.C. member states. 8.5 1 HEALTH No special body protection is required under typical circumstances of use and **FLAMMABILITY** handling. If necessary, refer to appropriate standards of Canada, the E.C. member 1 states, or U.S. OSHA. REACTIVITY 1 PROTECTIVE EQUIPMENT A **EYES**



Page 4 of 7

Prep	pared to OSHA, ACC, ANS				
		9. PHYSICAL & CHEMICAL PROPERTIES			
.1	Density:	> 1.2			
2	Boiling Point:	NE			
3	Melting Point:	NE			
.4	Evaporation Rate:	> 302 °F (150 °C)			
.5	Vapor Pressure:	NE			
.6	Molecular Weight:	NE			
.7	Appearance & Color:	White viscous liquid with faint ester odor.			
.8	Odor Threshold:	NE .			
.9	Solubility:	Slightly soluble in water.			
.10	рН	ND ND			
.11	Viscosity:	Low viscosity gel			
.12	Other Information:	Vapor density > 1.0			
	•				
		10. STABILITY & REACTIVITY			
0.1	Stability:	anditions when stored properly (see Section 7, Storage and Handling)			
0.2	Hazardous Decomposition Produ	onditions when stored properly (see Section 7, Storage and Handling).			
0.2		v high temperatures, the products of thermal decomposition may include irritating vapors and carbon oxide			
	gases (e.g., CO, CO ₂).	The state of the s			
0.3	Hazardous Polymerization:				
	May occur, if exposed to extremely high temperatures.				
		o extremely might temperatures.			
0.4	Conditions to Avoid:	o extremely high temperatures.			
0.4	Conditions to Avoid: None known.	o extremely high temperatures.			
0.4	Conditions to Avoid: None known. Incompatible Substances:				
	Conditions to Avoid: None known. Incompatible Substances: This product is incompo	atible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric a			
	Conditions to Avoid: None known. Incompatible Substances: This product is incompo	atible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric og bases (e.g., lye, potassium hydroxide).			
	Conditions to Avoid: None known. Incompatible Substances: This product is incompo	atible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric a			
0.5	Conditions to Avoid: None known. Incompatible Substances: This product is incompo	atible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric a g bases (e.g., lye, potassium hydroxide).			
0.5	Conditions to Avoid: None known. Incompatible Substances: This product is incompo muriatic acids), or strong Toxicity Data: This product has NOT be	utible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric or g bases (e.g., lye, potassium hydroxide). 11. TOXICOLOGICAL INFORMATION Deen tested on animals to obtain toxicology data. There are toxicology data for the components of the			
0.5	Conditions to Avoid: None known. Incompatible Substances: This product is incompoundatic acids), or strong Toxicity Data: This product has NOT to product, which are foundatic.	atible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric or bases (e.g., lye, potassium hydroxide). 11. TOXICOLOGICAL INFORMATION Deen tested on animals to obtain toxicology data. There are toxicology data for the components of the din scientific literature. These data have not been presented in this document.			
0.5	Conditions to Avoid: None known. Incompatible Substances: This product is incompo muriatic acids), or strong Toxicity Data: This product has NOT be product, which are foun Titanium Dioxide (CAS#1	trible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric of bases (e.g., lye, potassium hydroxide). 11. TOXICOLOGICAL INFORMATION Deen tested on animals to obtain toxicology data. There are toxicology data for the components of the din scientific literature. These data have not been presented in this document. 13463-67-7); IARC classification: Group 2B - Possibly carcinogenic to humans.			
0.5	Conditions to Avoid: None known. Incompatible Substances: This product is incompo muriatic acids), or strong Toxicity Data: This product has NOT be product, which are foun Titanium Dioxide (CAS#1	atible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric or bases (e.g., lye, potassium hydroxide). 11. TOXICOLOGICAL INFORMATION Deen tested on animals to obtain toxicology data. There are toxicology data for the components of the din scientific literature. These data have not been presented in this document.			
0.5	Conditions to Avoid: None known. Incompatible Substances: This product is incomposite muriatic acids), or strong Toxicity Data: This product has NOT to product, which are foun Titanium Dioxide (CAS#1 [NOTE- Applies to inhala.]	trible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric of bases (e.g., lye, potassium hydroxide). 11. TOXICOLOGICAL INFORMATION Deen tested on animals to obtain toxicology data. There are toxicology data for the components of the din scientific literature. These data have not been presented in this document. 13463-67-7); IARC classification: Group 2B - Possibly carcinogenic to humans.			
1.1	Conditions to Avoid: None known. Incompatible Substances: This product is incomposite acids), or strong muriatic acids), or strong muriatic acids). Toxicity Data: This product has NOT is product, which are foun Titanium Dioxide (CAS#1 [NOTE- Applies to inhala Acute Toxicity: See section 2.5 Chronic Toxicity:	trible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric of bases (e.g., lye, potassium hydroxide). 11. TOXICOLOGICAL INFORMATION Deen tested on animals to obtain toxicology data. There are toxicology data for the components of the din scientific literature. These data have not been presented in this document. 13463-67-7); IARC classification: Group 2B - Possibly carcinogenic to humans.			
1.1	Conditions to Avoid: None known. Incompatible Substances: This product is incomponent in the product of the product of the product, which are foun the product, which are foun the product of the product	trible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric of bases (e.g., lye, potassium hydroxide). 11. TOXICOLOGICAL INFORMATION Deen tested on animals to obtain toxicology data. There are toxicology data for the components of the din scientific literature. These data have not been presented in this document. 13463-67-7); IARC classification: Group 2B - Possibly carcinogenic to humans.			
1.1	Conditions to Avoid: None known. Incompatible Substances: This product is incompormuriatic acids), or strong Toxicity Data: This product has NOT be product, which are foun Titanium Dioxide (CAS#1 [NOTE- Applies to inhala Acute Toxicity: See section 2.5 Chronic Toxicity: See section 2.6 Suspected Carcinogen:	trible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric of bases (e.g., lye, potassium hydroxide). 11. TOXICOLOGICAL INFORMATION Deen tested on animals to obtain toxicology data. There are toxicology data for the components of the din scientific literature. These data have not been presented in this document. 13463-67-7); IARC classification: Group 2B - Possibly carcinogenic to humans.			
0.5 1.1 1.2 1.3	Conditions to Avoid: None known. Incompatible Substances: This product is incompormuriatic acids), or strong muriatic acids, or strong acids in the following muriatic acids acid	tible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric of bases (e.g., lye, potassium hydroxide). 11. TOXICOLOGICAL INFORMATION Deen tested on animals to obtain toxicology data. There are toxicology data for the components of the d in scientific literature. These data have not been presented in this document. 13463-67-7); IARC classification: Group 2B - Possibly carcinogenic to humans. Ition of raw titanium dioxide particles.]			
0.5 1.1 1.2 1.3	Conditions to Avoid: None known. Incompatible Substances: This product is incompormuriatic acids), or strong muriatic acids, or strong acids	tible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric of g bases (e.g., lye, potassium hydroxide). 11. TOXICOLOGICAL INFORMATION Deen tested on animals to obtain toxicology data. There are toxicology data for the components of the d in scientific literature. These data have not been presented in this document. 13463-67-7); IARC classification: Group 28 - Possibly carcinogenic to humans. Ition of raw titanium dioxide particles.] This product is not reported to cause reproductive toxicity in humans.			
0.5 1.1 1.2 1.3	Conditions to Avoid: None known. Incompatible Substances: This product is incompo muriatic acids), or strong Toxicity Data: This product has NOT to product, which are foun Titanium Dioxide (CAS#1 [NOTE- Applies to inhala Acute Toxicity: See section 2.5 Chronic Toxicity: See section 2.6 Suspected Carcinogen: NA Reproductive Toxicity: Mutagenicity:	tible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric of bases (e.g., lye, potassium hydroxide). 11. TOXICOLOGICAL INFORMATION Deen tested on animals to obtain toxicology data. There are toxicology data for the components of the din scientific literature. These data have not been presented in this document. 13463-67-7); IARC classification: Group 2B - Possibly carcinogenic to humans. Ition of raw titanium dioxide particles.] This product is not reported to cause reproductive toxicity in humans. This product is not reported to produce mutagenic effects in humans.			
0.5 1.1 1.2 1.3	Conditions to Avoid: None known. Incompatible Substances: This product is incompo muriatic acids), or strong Toxicity Data: This product has NOT to product, which are foun Titanium Dioxide (CAS#1 [NOTE- Applies to inhala Acute Toxicity: See section 2.5 Chronic Toxicity: See section 2.6 Suspected Carcinogen: NA Reproductive Toxicity: Mutagenicity: Embryotoxicity:	tible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric of bases (e.g., lye, potassium hydroxide). 11. TOXICOLOGICAL INFORMATION Deen tested on animals to obtain toxicology data. There are toxicology data for the components of the din scientific literature. These data have not been presented in this document. 13463-67-7); IARC classification: Group 2B - Possibly carcinogenic to humans. Ition of raw titanium dioxide particles.] This product is not reported to cause reproductive toxicity in humans. This product is not reported to produce mutagenic effects in humans. This product is not reported to produce embryotoxic effects in humans.			
11.1	Conditions to Avoid: None known. Incompatible Substances: This product is incompormuriatic acids), or strong muriatic acids, or strong mu	trible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric of g bases (e.g., lye, potassium hydroxide). 11. TOXICOLOGICAL INFORMATION Deen tested on animals to obtain toxicology data. There are toxicology data for the components of the d in scientific literature. These data have not been presented in this document. 13463-67-7); IARC classification: Group 2B - Possibly carcinogenic to humans. Ition of raw titanium dioxide particles.] This product is not reported to cause reproductive toxicity in humans. This product is not reported to produce mutagenic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause teratogenic effects in humans.			
0.5 1.1 1.2 1.3 1.4	Conditions to Avoid: None known. Incompatible Substances: This product is incompormuriatic acids), or strong muriatic acids, or strong mu	tible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric of bases (e.g., lye, potassium hydroxide). 11. TOXICOLOGICAL INFORMATION Deen tested on animals to obtain toxicology data. There are toxicology data for the components of the din scientific literature. These data have not been presented in this document. 13463-67-7); IARC classification: Group 2B - Possibly carcinogenic to humans. Ition of raw titanium dioxide particles.] This product is not reported to cause reproductive toxicity in humans. This product is not reported to produce mutagenic effects in humans. This product is not reported to produce embryotoxic effects in humans.			
0.5 1.1 1.2 1.3 1.4	Conditions to Avoid: None known. Incompatible Substances: This product is incompormuriatic acids), or strong muriatic acids, or strong m	trible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric of g bases (e.g., lye, potassium hydroxide). 11. TOXICOLOGICAL INFORMATION Deen tested on animals to obtain toxicology data. There are toxicology data for the components of the d in scientific literature. These data have not been presented in this document. 13463-67-7); IARC classification: Group 2B - Possibly carcinogenic to humans. Ition of raw titanium dioxide particles.] This product is not reported to cause reproductive toxicity in humans. This product is not reported to produce mutagenic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause teratogenic effects in humans.			
1.1 1.2 1.3 1.4	Conditions to Avoid: None known. Incompatible Substances: This product is incompormuriatic acids), or strong muriatic acids in the product, which are foun Titanium Dioxide (CAS#1 [NOTE- Applies to inhala acute Toxicity: See section 2.5 Chronic Toxicity: See section 2.6 Suspected Carcinogen: NA Reproductive Toxicity: Mutagenicity: Embryotoxicity: Teratogenicity: Reproductive Toxicity: Irritancy of Product: See section 2.3	trible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric of g bases (e.g., lye, potassium hydroxide). 11. TOXICOLOGICAL INFORMATION Deen tested on animals to obtain toxicology data. There are toxicology data for the components of the d in scientific literature. These data have not been presented in this document. 13463-67-7); IARC classification: Group 2B - Possibly carcinogenic to humans. Ition of raw titanium dioxide particles.] This product is not reported to cause reproductive toxicity in humans. This product is not reported to produce mutagenic effects in humans. This product is not reported to produce embryotoxic effects in humans. This product is not reported to cause teratogenic effects in humans.			
	Conditions to Avoid: None known. Incompatible Substances: This product is incompormuriatic acids), or strong muriatic acids, or strong mu	trible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric of g bases (e.g., lye, potassium hydroxide). 11. TOXICOLOGICAL INFORMATION Deen tested on animals to obtain toxicology data. There are toxicology data for the components of the d in scientific literature. These data have not been presented in this document. 13463-67-7); IARC classification: Group 2B - Possibly carcinogenic to humans. Ition of raw titanium dioxide particles.] This product is not reported to cause reproductive toxicity in humans. This product is not reported to produce mutagenic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause teratogenic effects in humans.			
1.1 1.2 1.3 1.4	Conditions to Avoid: None known. Incompatible Substances: This product is incompormuriatic acids), or strong muriatic acids in the product, which are foun Titanium Dioxide (CAS#1 [NOTE- Applies to inhala acute Toxicity: See section 2.5 Chronic Toxicity: See section 2.6 Suspected Carcinogen: NA Reproductive Toxicity: Mutagenicity: Embryotoxicity: Teratogenicity: Reproductive Toxicity: Irritancy of Product: See section 2.3	trible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric of g bases (e.g., lye, potassium hydroxide). 11. TOXICOLOGICAL INFORMATION Deen tested on animals to obtain toxicology data. There are toxicology data for the components of the d in scientific literature. These data have not been presented in this document. 13463-67-7); IARC classification: Group 2B - Possibly carcinogenic to humans. Ition of raw titanium dioxide particles.] This product is not reported to cause reproductive toxicity in humans. This product is not reported to produce mutagenic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause teratogenic effects in humans.			
1.1 1.2 1.3 1.4 1.5	Conditions to Avoid: None known. Incompatible Substances: This product is incompormuriatic acids), or strong muriatic acids, or strong muri	trible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric of g bases (e.g., lye, potassium hydroxide). 11. TOXICOLOGICAL INFORMATION Deen tested on animals to obtain toxicology data. There are toxicology data for the components of the d in scientific literature. These data have not been presented in this document. 13463-67-7); IARC classification: Group 2B - Possibly carcinogenic to humans. Ition of raw titanium dioxide particles.] This product is not reported to cause reproductive toxicity in humans. This product is not reported to produce mutagenic effects in humans. This product is not reported to produce embryotoxic effects in humans. This product is not reported to cause teratogenic effects in humans.			



Page 5 of 7

Prep	ared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 7.0 MSDS Re	evision Date: 04/01/2008
	12. ECOLOGICAL INFORMATION	
10.1		
12.1	Environmental Stability:	
	There are no specific data available for this product.	
12.2	Effects on Plants & Animals:	
	There are no specific data available for this product.	
12.3	Effects on Aquatic Life:	
	There are no specific data available for this product; however, very large releases of this product i	may be harmful or fatal to
	overexposed aquatic life.	,
	13. DISPOSAL CONSIDERATIONS	
13.1	Waste Disposal:	
	Waste disposal must be in accordance with appropriate federal, state, and local regulations.	
13.2	Special Considerations:	
10.2	NA	
	····	
	44	
	14. TRANSPORTATION INFORMATION	
The h	pasic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for ea	ach mode of transportation
	tional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG, SCT, ADGR and the CTDGR.	acodo or adrisportation.
14.1	49 CFR (GND):	
	NOT REGULATED	
14.2	IATA (AIR):	
	NOT REGULATED	
14.3	IMDG (OCN):	
	NOT REGULATED	
14.4	TDGR (Canadian GND):	
	NOT REGULATED	
14.5	ADR/RID (EU):	
	NOT REGULATED	
14.6	SCT (MEXICO):	
14.0	NOT REGULATED	
14.7	ADGR (AUS):	
17.7	NOT REGULATED	
	HOLINEQUENE	
	15 DECILIATORY INFORMATION	
- 1	15. REGULATORY INFORMATION	
15.1	U.S. EPA SARA Title III Reporting Requirements:	
	NA	
15.2	U.S. EPA SARA Title III Threshold Planning Quantity (TPQ):	
	There are no specific Threshold Planning Quantities for the components of this product.	
15.3	U.S. TSCA Inventory Status:	
	The components of this product are listed on the TSCA Inventory as appropriate.	
15.4	U.S. CERCLA Reportable Quantity (RQ):	
	NA	
15.5	Other U.S. Federal Requirements:	
	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchap	ter G (Cosmetics).
15.6	Other Canadian Regulations:	
	This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of	(T)
	the information required by the CPR. The components of this product are listed on the DSL/NDSL. None	し! 丿
	of the components of this product are listed on the Priorities Substances List.	· ·
15.7	U.S. State Regulatory Information:	
	No components of this mixture are listed in the California Proposition 65 Lists.	
	Titanium dioxide (CAS# 13463-67-7); can be found on the following state right to know lists: New Jersey, Pe	ennsylvania, Minnesota, and
	Massachusetts.	·



Page 6 of 7

CND-N-070

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 7.0

MSDS Revision Date: 04/01/2008

15. REGULATORY INFORMATION

15.8 European Union 67/548/EEC and Australia NOHSC:2011 (2003) Requirements:

Component(s) of this product are listed in Annex I of EU Directive 67/548/EEC.

(Xn) Harmful

<u>Titanium di</u>oxide:

R: 21/22 Harmful if swallowed and in contact with skin

R: 40 Limited evidence of carcinogenic effect *

R: 43 May cause sensitization by skin contact

S: 2 Keep away from children

S: 7/8 Keep container tightly closed and dry

S: 20/21 When using do not eat, drink or smoke

*Applies to inhalation of raw titanium dioxide particles.



16. OTHER INFORMATION

16.1 Other Information

Warning: Precisely follow directions and MSDS (available through your supplier) for use. **Avoid all skin contact.** If redness or other signs of adverse reactions occur, discontinue use immediately. Avoid eye contact. **Keep out of reach of children.** Keep out of sunlight. FOR PREOFESSIONAL USE ONLY.

16.2 Terms & Definitions:

Please see last page of this MSDS.

16.3 Disclaimer

This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Creative Nail Design's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

16.4 Prepared for:

Creative Nail Design, Inc.
A Division of Colomer U.S.A., Inc.
1125 Joshua Way
Vista, CA 92081 USA
(800) 833-NAIL (6245) phone
(760) 599-2900
(760) 599-4005 fax
http://www.cnd.com/



Hands. Feet. Beauty.

16.5 Prepared by:

ShipMate, Inc. PO Box 787

Sisters, OR 97759-0787 USA Phone: +1 (310) 370-3600 Fax: +1 (310) 370-5700

e-mail: shipmate@shipmate.com





Page 7 of 7

CND-N-070

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 7.0

MSDS Revision Date: 04/01/2008

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDs. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	ACGIH American Conference on Governmental Industrial Hygienists			
TLV	Threshold Limit Value			
OSHA	U.S. Occupational Safety and Health Administration			
PEL	Permissible Exposure Limit			
IDLH	Immediately Dangerous to Life and Health			

FIRST AID MEASURES:

	Cardiopulmonary resuscitation - method in which a person
CPR	whose heart has stopped receives manual chest compressions
CPK	and breathing to circulate blood and provide oxygen to the
	hody


HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:


Minimal Hazard			
1	Slight Hazard		
2	Moderate Hazard		
3	Severe Hazard		
4	Extreme Hazard		



PERSONAL PROTECTION RATINGS:







FLAMMABILITY LIMITS IN AIR:


Autoignition	Minimum temperature required to initiate combustion in air
Temperature	with no other source of ignition
	Lower Explosive Limit - lowest percent of vapor in air, by
LEL	volume, that will explode or ignite in the presence of an
	ignition source
	Upper Explosive Limit - highest percent of vapor in air, by
UEL	volume, that will explode or ignite in the presence of an
	ignition source

OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA **HAZARD RATINGS:**

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
-W -	Use No Water
OX	Oxidizer



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the
== 30	exposed animals s
	Lethal concentration (gases) which kills 50% of the
LC ₅₀	exposed animal
	Concentration expressed in parts of material per million
ppm	parts
TD _{Io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{io} , LD _{io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic
TC, TCo, LCio, & LCo	effects
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System					
DOT	U.S. Department of Transportation					
TC	Transport Canada					
EPA	U.S. Environmental Protection Agency					
DSL	Canadian Domestic Substance List					
NDSL	Canadian Non-Domestic Substance List					
PSL	Canadian Priority Substances List					
TSCA	U.S. Toxic Substance Control Act					
EU	European Union (European Union Directive 67/548/EEC)					
CPR	Canada's Controlled Product Regulations					

EC INFORMATION:

		M	*			×	X
С	E	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

WHMIS INFORMATION:

\bigcirc				(1)	®	(F)	
Α	В	С	D1	D2	D3	E	F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive